

**Guaranteed Content**

Nitrogen (N)  
Organic Substance

**%W/W**

%6  
%40

**DIRECTIONS FOR APPLICATION**

<b>Crop</b>	<b>Application Period</b>	<b>Leaf Application</b>	<b>Soil Application</b>
Tomato, Pepper, Eggplant, Cucumber, Zucchini, Melon, Watermelon etc.	Every 10 day beginning from transplantation	150 - 300 cc / da	1- 1,5 lt / da
Potato, Onion, Cabbage, Corn, Sugar Beet etc.	During growth period after first hoeing	150 - 300 cc / da	1- 1,5 lt / da
Cotton, Corn, Soybean, Sunflower etc.	Active growth period	100 - 200 cc / 100 lt water	0,5 - 1 lt / da
Grain (Cereal)	Active growth period	100 - 200 cc / 100 lt water	0,5 - 1 lt / da
Banana	Active growth period	200 - 500 cc / da	1- 2 lt / da
Citrus Trees, Olive Tree	Active growth period	200 - 500 cc / da	1-2 lt / da
Vineyard	Active growth period	200 - 500 cc / da	1-2 lt / da

**USAGE INSTRUCTIONS:**

On all plants; Can be used 2 - 3 lt/da on soil with drip irrigation or sprinkling application. For applications on leaves, 200 - 500 ml / 100 L water dosage is advised. Apply rates should be decided considering soil/leaf analyses and plants' needs. Repeating the application should also be based on analyses and plants' needs.